

Frontmatter

Page i

Protein electrophoresis and serum free light chains in the diagnosis and monitoring of plasma cell disorders: laboratory testing and current controversies

Tate, Jillian R. / Graziani, Maria Stella / Mollee, Peter / Merlini, Giampaolo
Page 899

Laboratory testing requirements for diagnosis and follow-up of multiple myeloma and related plasma cell dyscrasias

Willrich, Maria A.V. / Katzmann, Jerry A.
Page 907

Free light chain testing for the diagnosis, monitoring and prognostication of AL amyloidosis

Mollee, Peter / Merlini, Giampaolo
Page 921

Laboratory testing in monoclonal gammopathy of renal significance (MGRS)

Leung, Nelson / Barnidge, David R. / Hutchison, Colin A.
Page 929

The impact of renal function on the clinical performance of FLC measurement in AL amyloidosis

Palladini, Giovanni / Milani, Paolo / Foli, Andrea / Basset, Marco / Russo, Francesca / Bosoni, Tiziana / Pirolini, Laura / Valentini, Veronica / Ferraro, Giovanni / Lavatelli, Francesca / Barassi, Alessandra / Albertini, Riccardo / Merlini, Giampaolo
Page 939

Challenges of measuring monoclonal proteins in serum

Keren, David F. / Schroeder, Lee
Page 947

Screening immunofixation should replace protein electrophoresis as the initial investigation of monoclonal gammopathy: Point

Pretorius, Carel J.
Page 963

Should routine laboratories stop doing screening serum protein electrophoresis and replace it with screening immune-fixation electrophoresis? No quick fixes: Counterpoint

Smith, Joel D. / Raines, Geoffrey / Schneider, Hans G.
Page 967

Moving towards harmonized reporting of serum and urine protein electrophoresis

Moss, Michael A.
Page 973

Multiple qualitative and quantitative methods for free light chain analysis are necessary as first line tests for AL amyloidosis

Sečník, Peter / Honsová, Eva / Jabor, Antonín / Lavříková, Petra / Franeková, Janka
Page 981

Use of isoelectric focusing to discriminate transient oligoclonal bands from monoclonal protein in treated myeloma

Henry, Robyn / Glegg, Debra
Page 985

[New patterns of relapse in multiple myeloma: a case of “light chain escape” in which FLC predicted relapse earlier than urine and serum immunofixation](#)

Caldini, Anna / Nozzoli, Chiara / Terreni, Alessandro / Staderini, Michela / Berardi, Margherita / Biagioli, Tiziana / Brogi, Marco / Bosi, Alberto
Page 991

[Analytical issues of serum free light chain assays and the relative performance of polyclonal and monoclonal based reagents](#)

Carr-Smith, Hugh D. / Jenner, Ellen L. / Evans, Josie A.R. / Harding, Stephen J.
Page 997

[Measurement of free light chains with assays based on monoclonal antibodies](#)

te Velthuis, Henk / Drayson, Mark / Campbell, John P.
Page 1005

[Measurement of free light chains – pros and cons of current methods](#)

Graziani, Maria Stella
Page 1015

[Is accuracy of serum free light chain measurement achievable?](#)

Jacobs, Joannes F.M. / Tate, Jillian R. / Merlini, Giampaolo
Page 1021

[Performance goals for immunoglobulins and serum free light chain measurements in plasma cell dyscrasias can be based on biological variation](#)

Hansen, Charlotte Toftmann
Page 1031

[A patient with AL amyloidosis with negative free light chain results](#)

Milani, Paolo / Valentini, Veronica / Ferraro, Giovanni / Basset, Marco / Russo, Francesca / Foli, Andrea / Palladini, Giovanni / Merlini, Giampaolo
Page 1035

[Strengths and weaknesses of methods for identifying monoclonal free light chains of Ig: examples from two cases with renal disease](#)

Levinson, Stanley S.
Page 1039

[Comparison of Freelite™ and N Latex serum free light chain assays in subjects with end stage kidney disease on haemodialysis](#)

Kennard, Alice / Hawley, Carmel / Tate, Jill / Klingberg, Sandra / Pretorius, Carel / Hutchison, Colin / Mollee, Peter
Page 1045

[Quantification of \$\beta\$ -region IgA monoclonal proteins – should we include immunochemical Hevlyte® measurements? Point](#)

Evans, Josie A.R. / Jenner, Ellen L. / Carr Smith, Hugh D. / Berlanga, Oscar / Harding, Stephen J.
Page 1053

[Quantification of \$\beta\$ region IgA paraproteins – should we include immunochemical “heavy/light chain” measurements? Counterpoint](#)

Paolini, Lucia
Page 1059

[Free light chains and heavy/light chains in monitoring POEMS patients](#)

Altinier, Sara / Proko, Kozeta / Zaninotto, Martina / Ciubotaru, Daniela / Seguso, Mara / Varagnolo, Mariacristina / Lessi, Federica / Briani, Chiara / Adami, Fausto / Plebani, Mario
Page 1065

Monitoring free light chains in serum using mass spectrometry

Barnidge, David R. / Dispenzieri, Angela / Merlini, Giampaolo / Katzmann, Jerry A. / Murray, David L.
Page 1073

Monoclonal antibody therapeutics as potential interferences on protein electrophoresis and immunofixation

Willrich, Maria Alice V. / Ladwig, Paula M. / Andreguetto, Bruna D. / Barnidge, David R. / Murray, David L. / Katzmann, Jerry A. / Snyder, Melissa R.
Page 1085

Monitoring multiple myeloma patients treated with daratumumab: teasing out monoclonal antibody interference

McCudden, Christopher / Axel, Amy E. / Slaets, Dominique / Dejoie, Thomas / Clemens, Pamela L. / Frans, Sandy / Bald, Jaime / Plesner, Torben / Jacobs, Joannes F.M. / van de Donk, Niels W.C.J. / Moreau, Philippe / Schechter, Jordan M. / Ahmadi, Tahamtan / Sasser, A. Kate
Page 1095

Interference of daratumumab in monitoring multiple myeloma patients using serum immunofixation electrophoresis can be abrogated using the daratumumab IFE reflex assay (DIRA)

van de Donk, Niels W.C.J. / Otten, Henny G. / El Haddad, Omar / Axel, Amy / Sasser, A. Kate / Croockewit, Sandra / Jacobs, Joannes F.M.
Page 1105

Discrepancy between FLC assays: only a problem of quantification?

Caponi, Laura / Franzini, Maria / Koni, Elona / Masotti, Silvia / Petrini, Mario / Paolicchi, Aldo
Page 1111